



FIG. 1




6622400 20405550

**FIG. 2**

3/27

662240-204-00000


### FIG. 3



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

4/27

## FIG. 4




662270-20485650

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

5/27


## FIG. 5



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

6/27


## FIG. 6



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

7/27/68


## FIG. 7




APPROVED	C.G.F.Q.
BY	CLASS
DRAFTSMAN	SUBCLASS

8/27

**FIG. 8A**



**FIG. 8B**




652240-200-00000000


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

9/27

**F I G. 9A**




**F I G. 9B**




APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

10/27

**F I G. 10A**




**F I G. 10B**



662270-20495560

11/27

## **F I G. 11**




APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

12/27

552220 " 2049550

## FIG. 12


### RELATIVE COLOR MATCHING



### ABSOLUTE COLOR MATCHING

13/27

# FIG. 13




552220 " 20499550

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

14/27


## FIG. 14



APPROVED BY	O.G. FIG.	
DRAFTSMAN	CLASS	SUBCLASS

15/27

## FIG. 15




662240" 20485E60

APPROVED	O.G. FIG.
BY	CLASS      SUBCLASS
DRAFTSMAN	

16/27


FIG. 16



APPROVED BY DRAFTSMAN	O.G. FIG.
	CLASS      SUBCLASS

17/27


## FIG. 17



18/27


562240 <0485650

**FIG. 18**



19/27


# FIG. 19



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

20/27


## FIG. 20



6622240-204955560

21/27

## FIG. 21



APPROVED BY DRAFTSMAN	O.G. FIG.
	CLASS      SUBCLASS

22/27




FIG. 22

23/27

## FIG. 23





FIG. 24



APPROVED BY	O.G. FIG.
DRAFTSMAN	CLASS      SUBCLASS

25/27

# F I G. 25







191

VIEWING CONDITION OF INPUT SIDE	
LUMINANCE :	<input type="text"/> 90 cd / m <sup>2</sup> 192
ILLUMINANT :	<input type="text"/> D93 ▶ 193
AMBIENT LIGHT :	<input type="text"/> DARK ▶ 194
ADAPTABILITY :	<input type="text"/> 1.0 195
VIEWING CONDITION OF OUTPUT SIDE	
LUMINANCE :	<input type="text"/> 200 cd / m <sup>2</sup> 196
ILLUMINANT :	<input type="text"/> F2 ▶ 197
AMBIENT LIGHT :	<input type="text"/> AVERAGE ▶ 198
ADAPTABILITY :	<input type="text"/> 1.0 199
<input type="button"/> OK <input type="button"/> CANCEL	

26/27

201

# F I G. 26

USER LEVEL : <input type="text" value="GENERAL USER"/> 202																					
<table border="1"> <tr> <td colspan="2">VIEWING CONDITION OF INPUT SIDE</td> </tr> <tr> <td>VIEWING SUBJECT :</td> <td>MONITOR 203</td> </tr> <tr> <td>LIGHTNESS :</td> <td>AVERAGE 204</td> </tr> <tr> <td>WHITE POINT :</td> <td>BLUISH WHITE 205</td> </tr> <tr> <td>AMBIENT LIGHT :</td> <td>DARK 206</td> </tr> </table> <table border="1"> <tr> <td colspan="2">VIEWING CONDITION OF OUTPUT SIDE</td> </tr> <tr> <td>VIEWING SUBJECT :</td> <td>PRINTOUT 207</td> </tr> <tr> <td>LIGHTNESS :</td> <td>BRIGHT 208</td> </tr> <tr> <td>WHITE POINT :</td> <td>WHITE FLUORESCENT 209</td> </tr> <tr> <td>AMBIENT LIGHT :</td> <td>AVERAGE 2010</td> </tr> </table>		VIEWING CONDITION OF INPUT SIDE		VIEWING SUBJECT :	MONITOR 203	LIGHTNESS :	AVERAGE 204	WHITE POINT :	BLUISH WHITE 205	AMBIENT LIGHT :	DARK 206	VIEWING CONDITION OF OUTPUT SIDE		VIEWING SUBJECT :	PRINTOUT 207	LIGHTNESS :	BRIGHT 208	WHITE POINT :	WHITE FLUORESCENT 209	AMBIENT LIGHT :	AVERAGE 2010
VIEWING CONDITION OF INPUT SIDE																					
VIEWING SUBJECT :	MONITOR 203																				
LIGHTNESS :	AVERAGE 204																				
WHITE POINT :	BLUISH WHITE 205																				
AMBIENT LIGHT :	DARK 206																				
VIEWING CONDITION OF OUTPUT SIDE																					
VIEWING SUBJECT :	PRINTOUT 207																				
LIGHTNESS :	BRIGHT 208																				
WHITE POINT :	WHITE FLUORESCENT 209																				
AMBIENT LIGHT :	AVERAGE 2010																				
<table border="1"> <tr> <td colspan="2">VIEWING SPACE</td> </tr> <tr> <td></td> <td>2011</td> </tr> <tr> <td></td> <td>2012</td> </tr> <tr> <td>0</td> <td>∞</td> </tr> </table>		VIEWING SPACE			2011		2012	0	∞												
VIEWING SPACE																					
	2011																				
	2012																				
0	∞																				
<input type="button" value="OK"/> <input type="button" value="CANCEL"/>																					

035254072255

27/27

201

## FIG. 27

USER LEVEL : PROFESSIONAL		212																														
<table border="1"> <tr> <td colspan="2">VIEWING CONDITION OF INPUT SIDE</td> </tr> <tr> <td>VIEWING SUBJECT :</td> <td>MONITOR</td> <td>213</td> </tr> <tr> <td>LUMINANCE :</td> <td>90</td> <td>cd / m<sup>2</sup></td> <td>214</td> </tr> <tr> <td>ILLUMINANT :</td> <td>D93</td> <td>215</td> </tr> <tr> <td>AMBIENT LIGHT :</td> <td>DARK</td> <td>216</td> </tr> </table> <table border="1"> <tr> <td colspan="2">VIEWING CONDITION OF OUTPUT SIDE</td> </tr> <tr> <td>VIEWING SUBJECT :</td> <td>PRINTOUT</td> <td>217</td> </tr> <tr> <td>LUMINANCE :</td> <td>200</td> <td>cd / m<sup>2</sup></td> <td>218</td> </tr> <tr> <td>ILLUMINANT :</td> <td>F2</td> <td>219</td> </tr> <tr> <td>AMBIENT LIGHT :</td> <td>AVERAGE</td> <td>2110</td> </tr> </table>			VIEWING CONDITION OF INPUT SIDE		VIEWING SUBJECT :	MONITOR	213	LUMINANCE :	90	cd / m <sup>2</sup>	214	ILLUMINANT :	D93	215	AMBIENT LIGHT :	DARK	216	VIEWING CONDITION OF OUTPUT SIDE		VIEWING SUBJECT :	PRINTOUT	217	LUMINANCE :	200	cd / m <sup>2</sup>	218	ILLUMINANT :	F2	219	AMBIENT LIGHT :	AVERAGE	2110
VIEWING CONDITION OF INPUT SIDE																																
VIEWING SUBJECT :	MONITOR	213																														
LUMINANCE :	90	cd / m <sup>2</sup>	214																													
ILLUMINANT :	D93	215																														
AMBIENT LIGHT :	DARK	216																														
VIEWING CONDITION OF OUTPUT SIDE																																
VIEWING SUBJECT :	PRINTOUT	217																														
LUMINANCE :	200	cd / m <sup>2</sup>	218																													
ILLUMINANT :	F2	219																														
AMBIENT LIGHT :	AVERAGE	2110																														
<table border="1"> <tr> <td colspan="2">CHROMATIC ADAPTABILITY ADJUSTMENT</td> </tr> <tr> <td>0.9</td> <td>2111</td> </tr> <tr> <td>0.3857</td> <td>2112</td> </tr> <tr> <td>BALANCE :</td> <td>2113</td> </tr> <tr> <td>ABSOLUTE INTENSITY :</td> <td>2114</td> </tr> </table>			CHROMATIC ADAPTABILITY ADJUSTMENT		0.9	2111	0.3857	2112	BALANCE :	2113	ABSOLUTE INTENSITY :	2114																				
CHROMATIC ADAPTABILITY ADJUSTMENT																																
0.9	2111																															
0.3857	2112																															
BALANCE :	2113																															
ABSOLUTE INTENSITY :	2114																															
<input type="button" value="OK"/> <input type="button" value="CANCEL"/>																																